# **vogt** SPEC SHEET

## **CARINTHIA** 3/4" HIGH FLOW THERMOSTATIC SHOWER SYSTEM WITH JETS

## SET.CX.350.936

## Description

- VE.350 3/4" High flow thermostatic valve with 3 volume controls
- TM.CX.350 Trim for 3/4" high flow thermostatic valve
- SH.09.1212 12" round full brass shower head
- CA.02.06 6" Ceiling mount shower arm
- BH.10.05 sliding shower bar with hose and 4 function hand shower

Octagonal (2) Cross (3)

- EC.10.01 Round brass elbow connector with ½" female NPT connection
- BJ.02.01 Round built-in body jet x4

## Available Handles



## Available Finishes

- Chrome (CC)
- Brushed Nickel (BN)
- Polished Nickel (PN)
- Brushed Gold (BG)
- Chrome/Matte Black (CB)
- Brushed Nickel/Matte Black (BB)
- Polished Nickel/Matte Black (PB)
- Brushed Gold/Matte Black (BGB)

#### Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

#### Warranty

 Limited lifetime warranty against all manufacturing defects to the original consumer purchaser (see full warranty for more details)





Vogt Industries reserves the right to change the product material and specifictions without notice. Actual product may differ from pictures.



## **CARINTHIA** 3/4" HIGH FLOW THERMOSTATIC VALVE AND TRIM WITH 3 VOLUME

## VT.CX.350

## Description

- VE.350 <sup>3</sup>/<sub>4</sub>" High flow thermostatic valve with 3 volume controls
- TM.CX.350 Trim for 3/4" high flow valve

## Flow Rate

■ 12 gpm | 45 lpm | 60 psi

## Cartridge

- CE.2300.TT Thermostatic cartridge
- CE.1700.R Volume control cartridge

## **Available Handles**



Round (1) Octagonal (2) Cross (3) \*Available Handle selection only for diverter and volume control handle

## **Available Finishes**

- Chrome (CC)
- Brushed Nickel (BN)
- Polished Nickel (PN)
- Brushed Gold (BG)
- Chrome/Matte Black (CB)
- Brushed Nickel/Matte Black (BB)
- Polished Nickel/Matte Black (PB)
- Brushed Gold/Matte Black (BGB)

(Model Pictured: Chrome)


## Codes / Standards


- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1

## Warranty

 Limited lifetime warranty (see full warranty for details)







Vogt Industries reserves the right to change the product material and specifictions without notice. Actual product may differ from pictures. For further enquiries or assistance please contact customercare@vogtindustries.com.

# **vogt** SPEC SHEET

## 3/4" HIGH-FLOW THERMOSTATIC VALVE WITH 3 VOLUME CONTROLS

### VE.350

#### Description

- 3/4" high flow valve with thermostatic car-
- tridge and 3 seperate volumne control
- <sup>3</sup>⁄<sub>4</sub>" female NPT intlet connections
- ½" female NPT outlet connections

#### **Flow Rate**

■ 12 gpm | 45 lpm | 60 psi

#### Cartridge

- CE.2300.TT thermostatic cartridge
- CE.1700.R volumne control cartridge


#### Warranty

 Limited lifetime warranty (see full warranty for details)

#### Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1





Vogt Industries reserves the right to change the product material and

specifictions without notice. Actual product may differ from pictures. For further enquiries or assistance please contact customercare@vogtindustries.com.



## **6" CEILING ARM**

## CA.02.06

#### Description

- 6" Ceiling arm with  $\frac{1}{2}$ " female NPT connection
- Round pipe with round plate

#### **Available Finishes**

- Chrome (CC)
- Brushed Nickel (BN)
- Polished Nickel (PN)
- Matte Black (MB)
- Brushed Gold (BG)


(Model Pictured: Chrome)

#### Warranty

 Limited lifetime warranty (see full warranty for details)

#### Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1



Vogt Industries reserves the right to change the product material and specifictions without notice. Actual product may differ from pictures. For further enquiries or assistance please contact customercare@vogtindustries.com.



## 12" ROUND SHOWER HEAD

## SH.09.1212

#### Description

- 12" round full brass shower head
- Anti-limescale technology

#### **Flow Rate**

■ 2 gpm / 7.6 lpm / 60 psi

#### **Available Finishes**

- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)
- Polished Nickel (PN)
- Brushed Gold (BG)

(Model Pictured: Chrome)


#### Codes / Standards


- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1

#### Warranty

 Limited lifetime warranty (see full warranty for details)







Vogt Industries reserves the right to change the product material and specifictions without notice. Actual product may differ from pictures. For further enquiries or assistance please contact service@vogtindustries.com.

vogtindustries.com



## **CARINTHIA** SLIDING SHOWER BAR

## BH.10.05

#### Description

 Sliding shower bar with hose and 4 function hand shower

#### **Flow Rate**

■ 2.0 gpm | 7.6 lpm | 60 psi

#### **Available Finishes**

- Chrome (CC)
- Brushed Nickel (BN)
- Polished Nickel (PN)
- Brushed Gold (BG)


(Model Pictured: Chrome)


#### Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1

#### Warranty

 Limited lifetime warranty (see full warranty for details)







# CARINTHIA

## ROUND WALL SUPPLY ELBOW

#### EC.10.01 Description

Round brass elbow connector with ½" female NPT connection

#### **Available Finishes**

- Chrome (CC)
- Brushed Nickel (BN)
- Polished Nickel (PN)
- Brushed Gold (BG)

(Model Pictured: Chrome)


#### Warranty

 Limited lifetime warranty (see full warranty for details)

#### Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1







## ROUND RECESSED JET

BJ.02.01

#### Description

 Recessed body jet with ½" female NPT connection

#### **Available Finishes**

- Chrome (CC)
- Brushed Nickel (BN)
- Polished Nickel (PN)
- Matte Black 9MB)
- Brushed Gold (BG)

(Model Pictured: Chrome)


#### Warranty

 Limited lifetime warranty (see full warranty for details)


#### Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1





۷



Vogt Industries reserves the right to change the product material and specifictions without notice. Actual product may differ from pictures. For further enquiries or assistance please contact customercare@vogtindustries.com.