

LUSTEN 2-WAY THERMOSTATIC SHOWER TRIM

TM.LN.220.210

Components Included

- **TM.LN.220** Trim for 2-way thermostatic valve
- SH.04.0812.CC 8" x 12" rectangular stainless steel shower head
- WA.02.16 16" wall mount shower arm with ½" female NPT connection
- BH.05.03 31" sliding shower bar with hose and 4 function hand shower (HS.04.03.CC)
- EC.02.01 Round brass elbow connector with ½" female NPT connection

Available Finishes

- Chrome (CC)
- Glossy White / Chrome (CW)

(Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

- Valve & cartridge Limited lifetime warranty
- Components Limited lifetime warranty (see full warranty for details)





LUSTEN 2-WAY THERMOSTATIC TRIM

TM.LN.220

Description

- TM.LN.220 Trim for 2-way thermostatic valve
- 3 positions

Flow Rate

6.2 gpm | 23 lpm | 60 psi

Cartridge

- CE.1401.TT cartridge
- CE.1710.DR diverter

Available Finishes

Chrome (CC)

Glossy White / Chrome (CW)


(Model Pictured: Chrome)


Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty









16" WALL ARM

WA.02.16

Description

- 16" wall mount shower arm with ½" female NPT connection
- Round pipe with round escutcheon plate

Available Finishes

- Chrome (CC)
- Brushed Nickel (BN)
- Glossy White / Chrome (CW)
- Matte Black (MB)


(Model Pictured: Chrome)


Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1

Warranty

 Limited lifetime warranty (see full warranty for details)







Vogt Industries reserves the right to change the product material and specificitions without notice. Actual product may differ from pictures. For further enquiries or assistance please contact service@vogtindustries.com.



8" x 12" RECTANGULAR SHOWER HEAD

SH.04.0812.CC

Description

- 8" x 12 " rectangular stainless steel shower head
- Anti-limescale technology

Flow Rate

■ 2 gpm | 7.6 lpm | 60 psi


Available Finishes


Chrome (CC)


Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1

Warranty









LUSTEN SLIDING SHOWER BAR WITH HANDSHOWER

BH.05.03

Description

- **SB.05.31** 31" sliding shower bar
- HE.150 59" hose
- HS.04.03 4-function hand shower

Flow Rate

■ 2 gpm | 7.6 lpm | 60 psi

Available Finishes


- Chrome (CC)
- Chrome / Glossy White (CW)
- (Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty







ROUND WALL SUPPLY ELBOW

EC.02.01

Description

Round brass elbow connector with ½" female NPT connection

Available Finishes

- Chrome (CC)
- Brushed Nickel (BN)
- Glossy White / Chrome (CW)
- Matte Black (MB)

(Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1

Warranty



