

# LUSTEN 3-WAY THERMOSTATIC SHOWER TRIM

TM.LN.320.310

#### **Components Included**

- **TM.LN.320** Trim for 3-way thermostatic valve
- SH.04.0812.CC 8" x 12" rectangular stainless steel shower head
- WA.02.16 16" wall mount shower arm with ½" female NPT connection
- BH.05.03 31" sliding shower bar with hose and 4 function hand shower (HS.04.03.CC)
- EC.02.01 Round brass elbow connector with 1/2" female NPT connection
- TS.05.07 7½" brass tub spout with ½" female NPT connection

## **Available Finishes**

- Chrome (CC)
- Glossy White / Chrome (CW)

(Model Pictured: Chrome)

## Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

## Warranty

- Valve & cartridge Limited lifetime warranty
- Components Limited lifetime warranty (see full warranty for details)





# LUSTEN 3-WAY THERMOSTATIC TRIM

# TM.LN.320

#### Description

- TM.LN.320 Trim for 3-way thermostatic valve
- 5 positions

#### **Flow Rate**

■ 6.2 gpm | 23.4 lpm | 60 psi

## Cartridge

- CE.1401.TT cartridge
- CE.1408.DR diverter

## **Available Finishes**

Chrome (CC)

Glossy White / Chrome (CW)


(Model Pictured: Chrome)


## Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

## Warranty









# 16" WALL ARM

# WA.02.16

#### Description

- 16" wall mount shower arm with ½" female NPT connection
- Round pipe with round escutcheon plate

#### **Available Finishes**

- Chrome (CC)
- Brushed Nickel (BN)
- Glossy White / Chrome (CW)
- Matte Black (MB)


(Model Pictured: Chrome)


#### Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1

#### Warranty

 Limited lifetime warranty (see full warranty for details)







Vogt Industries reserves the right to change the product material and specificitions without notice. Actual product may differ from pictures. For further enquiries or assistance please contact service@vogtindustries.com.



# 8" x 12" RECTANGULAR SHOWER HEAD

# SH.04.0812.CC

#### Description

- 8" x 12 " rectangular stainless steel shower head
- Anti-limescale technology

#### **Flow Rate**

■ 2 gpm | 7.6 lpm | 60 psi


#### **Available Finishes**


Chrome (CC)


#### Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1

#### Warranty









# LUSTEN SLIDING SHOWER BAR WITH HANDSHOWER

# BH.05.03

#### Description

- **SB.05.31** 31" sliding shower bar
- HE.150 59" hose
- HS.04.03 4-function hand shower

#### **Flow Rate**

■ 2 gpm | 7.6 lpm | 60 psi

#### **Available Finishes**


- Chrome (CC)
- Chrome / Glossy White (CW)
- (Model Pictured: Chrome)

#### Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

#### Warranty







# ROUND WALL SUPPLY ELBOW

EC.02.01

#### Description

Round brass elbow connector with ½" female NPT connection

#### **Available Finishes**

- Chrome (CC)
- Brushed Nickel (BN)
- Glossy White / Chrome (CW)
- Matte Black (MB)


(Model Pictured: Chrome)


## Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1

#### Warranty









# LUSTEN TUB SPOUT

TS.05.07

## Description

 Brass tub spout with ½" female NPT connection

## **Available Finishes**

- Chrome (CC)
- Chrome / Glossy White (CW)

(Model Pictured: Chrome)

## Codes / Standards

- Uniform Plumbing Code (UPC<sup>®</sup>)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

#### Warranty



