

## **ZEHN** **3/4" THERMOSTATIC** **SHOWER SYSTEM**

SET.Z4.142.934

### **Components Included**

- **VE.140** - 3/4" valve with thermostatic cartridge
- **TM.Z4.140** - Trim for 3/4" thermostatic valve
- **VE.SV.01** - 3/4" volume control (x2)
- **TM.Z4.01** - Trim for 3/4" volume control (x2)
- **SH.09.1212** - 12" round full brass shower head
- **CA.02.04** - 4" ceiling mount shower arm with 1/2" male NPT connection
- **BH.09.05** - 27" sliding shower bar with hose and 4-function hand shower (HS.09.05)
- **EC.Z4.02** - Round brass elbow connector with integral shut-off and 1/2" female NPT connection
- **BJ.02.01** - Round built-in body jet with 1/2" female NPT connection (x4)

### **Available Finishes**

- Chrome (CC)
- Matte Black (MB)
- Polished Nickel (PN)
- Brushed Gold (BG)
- Chrome / Matte Black (CB)
- Stainless Steel / Matte Black (SB)
- Polished Nickel / Matte Black (PB)
- Brushed Gold / Matte Black (BGB)

(Model Pictured: Chrome)

### **Codes / Standards**

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

### **Warranty**

- Limited Lifetime Warranty against all manufacturing defects to the original consumer purchaser (see full warranty for more details)

Please note that this shower kit is also available with an 8" ceiling arm (**CA.02.08**)

8" ceiling arm Configuration - **SET.Z4.142.938**



## ZEHN

### ¾" THERMOSTATIC VALVE & TRIM WITHOUT DIVERTER

VT.Z4.140

#### Description

- **VE.140** - ¾" valve with thermostatic cartridge
- **TM.Z4.140** - Trim for ¾" thermostatic valve
- Volume control or diverter with shut-off is required

#### Flow Rate

- 7.2 gpm / 27.4 lpm / 60 psi

#### Cartridge

- CE.1401.TT - cartridge

#### Available Finishes

- Chrome (CC)
- Matte Black / Chrome (CB)
- Matte Black (MB)
- Matte Black / Stainless Steel (SB)
- Polished Nickel (PN)
- Matte Black / Polished Nickel (PB)
- Brushed Gold (BG)
- Matte Black / Brushed Gold (BGB)

(Model Pictured: Chrome)





#### Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

#### Warranty

- Limited lifetime warranty  
(see full warranty for details)

#### VE.140 - ¾" Thermostatic Valve



### 3/4" THERMOSTATIC VALVE

VE.140

#### Description

- Valve with thermostatic cartridge
- 3/4" female NPT connections
- 1/2" male NPT adaptors included
- Volume control or diverter with shut-off is required

#### Flow Rate

- 7.2 gpm / 27.4 lpm / 60 psi

#### Cartridge




- CE.1401.TT cartridge

#### Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

#### Warranty

- Limited lifetime warranty  
(see full warranty for more details)



### ZEHN

### ¾ STOP VALVE

### & TRIM

SV.Z4.01

#### Description

- VE.SV.01 - ¾" volume control with cartridge
- TM.Z4.01 - Trim for ¾" volume control

#### Cartridge

- CE.1700.R - cartridge

#### Available Finishes

- Chrome (CC)
- Matte Black (MB)
- Polished Nickel (PN)
- Brushed Gold (BG)
- Matte Black / Chrome (CB)
- Matte Black / Stainless Steel (SB)
- Matte Black / Polished Nickel (PB)
- Matte Black / Brushed Gold (BGB)



(Model Pictured: Chrome)

#### Codes / Standards



- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

#### Warranty

- Limited lifetime warranty  
(see full warranty for details)



#### VE.SV.01 - ¾" Volume Control



### 3/4" VOLUME CONTROL

VE.SV.01

#### Description

- Volume control with cartridge
- 3/4" female NPT connections
- 1/2" male NPT adaptors included

#### Cartridge






- CE.1700.R - cartridge

#### Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

#### Warranty

- Limited lifetime warranty  
(see full warranty for more details)



### 4" CEILING ARM

CA.02.04

#### Description

- 4" ceiling mount shower arm with with ½" male NPT connection
- Round pipe with round escutcheon plate

#### Available Finishes

- Chrome (CC)
- Brushed Nickel (BN)
- Glossy White / Chrome (GW)
- Matte Black (MB)
- Polished Nickel (PN)
- Brushed Gold (BG)




(Model Pictured: Chrome)

#### Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

#### Warranty

- Limited lifetime warranty (see full warranty for details)



## 12" ROUND SHOWER HEAD

SH.09.1212

### Description

- 12" round full brass shower head
- Anti-limescale technology

### Flow Rate

- 2.2 gpm / 8.3 lpm / 60 psi

### Available Finishes

- Chrome (CC)
- Matte Black (MB)
- Polished Nickel (PN)
- Brushed Gold (BG)



(Model Pictured: Chrome)

### Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

### Warranty

- Limited lifetime warranty  
(see full warranty for details)



# ZEHN

## SLIDING SHOWER BAR WITH HANDSHOWER

BH.09.05

### Description

- **SB.09.27** - 27" sliding shower bar
- **HE.150** - 59" hose
- **HS.09.05** - 4-function hand shower

### Flow Rate

- 2.0 gpm / 7.6 lpm / 60 psi

### Available Finishes

- Chrome (CC)
- Matte Black (MB)
- Polished Nickel (PN)
- Brushed Gold (BG)
- Chrome / Matte Black (CB)
- Stainless Steel / Matte Black (SB)
- Polished Nickel / Matte Black (PB)
- Brushed Gold / Matte Black (BGB)


(Model Pictured: Chrome)

### Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

### Warranty

- Limited lifetime warranty  
(see full warranty for details)





# **ZEHN**

## **WALL SUPPLY ELBOW WITH INTEGRAL SHUT-OFF**

### **EC.Z4.02**

#### **Description**

- Round brass elbow connector with integral shut-off
- ½" female NPT connection

#### **Available Finishes**

- Chrome (CC)
- Matte Black (MB)
- Polished Nickel (PN)
- Brushed Gold (BG)
- Chrome / Matte Black (CB)
- Stainless Steel / Matte Black (SB)
- Polished Nickel / Matte Black (PB)
- Brushed Gold / Matte Black (BGB)



(Model Pictured: Chrome)

#### **Codes / Standards**

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

#### **Warranty**

- Limited lifetime warranty  
(see full warranty for details)



### ROUND IN-WALL JET

BJ.02.01

#### Description

- Built-in body jet with ½" female NPT connection

#### Flow Rate

- 2.6 gpm / 10 lpm / 60 psi

#### Available Finishes

- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)
- Polished Nickel (PN)
- Brushed Gold (BG)

(Model Pictured: Chrome)

#### Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

#### Warranty

- Limited lifetime warranty  
(see full warranty for details)

