

TABLE OF CONTENTS

- SINGLE HANDLE LAVATORY FAUCET 3

Before you begin:

- Please take note of different standards and regulations that are dictated by your local plumbing codes. This product is certified in accordance with North American building codes.
- We insist that you use the services of a professional plumber with experience in the installation of similar fixtures.
- Ensure that the piping system is well secured to prevent rattling, vibration and banging noises caused by a water hammer. We also recommend that you use water hammer arrestors.
- To ensure that the interior of the water pipes are clean from debris,sand,solder and any other residue,it is recommended to flush the supply lines by running the water for 30 seconds.
- After installation,check and ensure that there are no leaks


SINGLE HANDLE LAVATORY FAUCET

**Tools and equipment
you will need:**

Estimated assembly time



+/- 30 Min



Reference



Hot water



Cold water



Grease




Warning









Sealant tape

SINGLE HANDLE LAVATORY FAUCET





- 1.Body
- 2.C Rubber Washer
- 3.C Metal Washer
- 4.Lock Nut
- 5.Pop-up drain
- 6.Washer
- 7.Flat Washer
- 8.Nut


1**1a**

2

$\phi 35\text{mm}(1\ 3/8\text{'})$ Min
 $\phi 38\text{mm}(1\ 1/2\text{'})$ Max


2a**2b**

3




3a

11#




3b

10#




4




5




6



7a



7b



8

