

WÖRGL

3-WAY THERMOSTATIC SHOWER SYSTEM WITH JETS

SET.WL.142.930

Components Included

- **VE.140** - ¾" Thermostatic valve with integrated 3-way diverter
- **VT.WL.140** - ¾" thermostatic valve and trim with ceramic disk cartridge
- **VE.SV.01** - ¾" volume control (x2)
- **SV.WL.01** - Trim for ¾" volume control (x2)
- **SH.02.1212** - 12" round stainless steel shower head
- **WA.02.16** - 16" wall mount shower arm with ½" female NPT connection
- **BH.03.03** - 31" sliding shower bar with hose and 3 function hand shower (HS.03.03)
- **EC.02.02** - Round brass elbow connector with integral shut-off and ½" female NPT connection
- **BJ.02.01** - Round in-wall body jet with ½" female NPT connection (x4)

Available Finishes

- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)
- Brushed Gold (BG)

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

- Valve & cartridge - Limited lifetime warranty
- Components - Limited lifetime warranty
(see full warranty for details)

Please note that this shower kit is also available with a 4" ceiling arm (**CA.02.04**) & 8" ceiling arm (**CA.02.08**)

4" ceiling arm Configuration - **SET.WL.142.934**

8" ceiling arm Configuration - **SET.WL.142.938**



WÖRGL

¾" THERMOSTATIC VALVE & TRIM WITHOUT DIVERTER

VT.WL.140

Description

- **VE.140** - ¾" valve with thermostatic cartridge
- **TM.WL.140** - Trim for ¾" thermostatic valve
- Volume control or diverter with shut-off is required

Flow Rate

- 7.2 gpm / 27.4 lpm / 60 psi

Cartridge

- CE.1401.TT - cartridge

Available Finishes


- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)
- Brushed Gold (BG)

Codes / Standards





- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

- Limited lifetime warranty
(see full warranty for details)



VE.140 - ¾" Thermostatic Valve



3/4" THERMOSTATIC VALVE

VE.140

Description

- Valve with thermostatic cartridge
- 3/4" female NPT connections
- 1/2" male NPT adaptors included
- Volume control or diverter with shut-off is required

Flow Rate

- 7.2 gpm / 27.4 lpm / 60 psi

Cartridge




- CE.1401.TT cartridge

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

- Limited lifetime warranty
(see full warranty for more details)



WÖRGL

¾" VOLUME CONTROL & TRIM

SV.WL.01

Description

- **VE.SV.01** - ¾" volume control with cartridge
- **TM.WL.01** - Trim for ¾" volume control

Cartridge

- CE.1700.R - cartridge

Available Finishes



- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)
- Brushed Gold (BG)

Codes / Standards



- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

- Limited lifetime warranty
(see full warranty for details)



VE.SV.01 - ¾" Volume Control



3/4" VOLUME CONTROL

VE.SV.01

Description

- Volume control with cartridge
- 3/4" female NPT connections
- 1/2" male NPT adaptors included

Cartridge






- CE.1700.R - cartridge

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

- Limited lifetime warranty
(see full warranty for more details)



16" WALL ARM

WA.02.16

Description

- 16" wall mount shower arm with ½" female NPT connection
- Round pipe with round escutcheon plate

Available Finishes




- Chrome (CC)
- Brushed Nickel (BN)
- Glossy White / Chrome (CW)
- Matte Black (MB)
- Brushed Gold (BG)

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

Warranty

- Limited lifetime warranty (see full warranty for details)



12" ROUND SHOWER HEAD

SH.02.1212

Description

- 12" round stainless steel shower head
- Anti-limescale technology

Flow Rate

- 2.2 gpm | 8.3 lpm | 60 psi

Available Finishes



- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)
- Brushed Gold (BG)

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

Warranty

- Limited lifetime warranty
(see full warranty for details)



WÖRGL

SLIDING SHOWER BAR WITH HANDSHOWER

BH.03.03

Description

- **SB.02.31** - 31" sliding shower bar
- **HE.150** - 59" hose
- **HS.03.03** - 3-function hand shower

Flow Rate

- 2 gpm | 7.6 lpm | 60 psi

Available Finishes


- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)
- Brushed Gold (BG)

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

- Limited lifetime warranty
(see full warranty for details)



ROUND WALL SUPPLY ELBOW WITH INTEGRAL SHUT-OFF

EC.02.02

Description

- Round brass elbow connector with integral shut-off and 1/2" female NPT connection

Available Finishes




- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)
- Brushed Gold (BG)

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

Warranty

- Limited lifetime warranty
(see full warranty for details)



ROUND IN-WALL JET

BJ.02.01

Description

- Built-in body jet with ½" female NPT connection

Flow Rate

- 2.6 gpm / 10 lpm / 60 psi

Available Finishes

- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)
- Polished Nickel (PN)
- Brushed Gold (BG)

(Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

Warranty

- Limited lifetime warranty
(see full warranty for details)

