

KAPFENBERG 1-WAY PRESSURE BALANCED SHOWER SYSTEM

SET.AP.110.100

Components Included

- VE.110 Pressure balanced valve without diverter
- TM.KG.110 Trim for 1-way pressure balanced valve
- BH.01.01 31¹/₂" sliding shower bar with hose and 4 function hand shower (HS.01.01)
- EC.41.01 Square elbow connector with ½" female NPT connection

Available Finishes

- Chrome (CC)
- Matte Black (MB)

(Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

 Limited lifetime warranty (see full warranty for details)







KAPFENBERG PRESSURE BALANCED VALVE & TRIM

VT.KG.110

Description

- VE.110 ½" pressure balanced valve
- TM.KG.110 Trim for ½" pressure balanced valve
- 1 position

Flow Rate

■ 5.5 gpm | 21 lpm | 60 psi

Cartridge

CE.1440.PB - cartridge

Available Finishes

- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)

(Model Pictured: Chrome)


Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1
- ASSE 1016


Warranty


 Limited lifetime warranty (see full warranty for details)

VE.110 - Pressure Balanced Valve Without Diverter











KAPFENBERG PRESSURE BALANCED VALVE & TRIM

VT.KG.110

Description

- VE.110 1/2" pressure balanced valve
- TM.KG.110 Trim for ½" pressure balanced valve
- 1 position

Flow Rate

■ 5.5 gpm | 21 lpm | 60 psi

Cartridge

CE.1440.PB - cartridge

Available Finishes

- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)


(Model Pictured: Chrome)

Codes / Standards


- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1


Warranty

 Limited lifetime warranty (see full warranty for details)



VE.110 - Pressure Balanced Valve Without Diverter





Vogt Industries reserves the right to change the product material and specifictions without notice. Actual product may differ from pictures. For further enquiries or assistance please contact service@vogtindustries.com.



PRESSURE BALANCED VALVE WITHOUT DIVERTER

VE.110

Description

- Valve with pressure balanced cartridge
- ½" male NPT connections

Flow Rate

■ 5.5 gpm | 21 lpm | 60 psi

Cartridge

■ CE.1440.PB cartridge


Codes / Standards


- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

 Limited lifetime warranty (see full warranty for more details)









KAPFENBERG SLIDING SHOWER BAR WITH HANDSHOWER

BH.01.01

Description

- SB.01.31 31 ½" sliding shower bar
- HE.150 59" hose
- HS.01.01 1-function hand shower

Flow Rate

■ 2 gpm | 7.6 lpm | 60 psi

Available Finishes

- Chrome (CC)
- Matte Black (MB)


(Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

 Limited lifetime warranty (see full warranty for details)



95mm

3 ¼″



SQUARE WALL SUPPLY ELBOW

EC.41.01

Description

Square elbow connector with ½" female NPT connection

Available Finishes

- Chrome (CC)
- Matte Black (MB)

(Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC[®])
- ASME A112.18.1/CSA B125.1

Warranty

 Limited lifetime warranty (see full warranty for details)

