

KAPFENBERG3-WAY PRESSURE BALANCED SHOWER SYSTEM

SET.AP.310.310

Components Included

- VE.310 Pressure balanced valve with integrated 3-way diverter
- TM.KG.310 Trim for 3-way pressure balanced valve
- SH.41.0808 8" square shower head
- WA.41.16 16" wall mount shower arm with ½" female NPT connection
- BH.01.01 31½" sliding shower bar with hose and 4 function hand shower (HS.01.01)
- EC.41.01 Square elbow connector with ½" female NPT connection
- TS.41.06 Slip-on brass tub spout without diverter

Available Finishes

- Chrome (CC)
- Matte Black (MB)

(Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty

- Valve & cartridge Limited lifetime warranty
- Components Limited lifetime warranty (see full warranty for details)

Please note that this shower kit is also available with a 4" ceiling arm (CA.01.04) & 8" ceiling arm (CA.01.08)

4" ceiling arm Configuration - SET.AP.310.314 8" ceiling arm Configuration - SET.AP.310.318





KAPFENBERG3-WAY PRESSURE BALANCED VALVE & TRIM

VT.KG.310

Description

- VE.310 ½" pressure balanced valve with 3-way diverter
- TM.KG.310 Trim for 3-way pressure balanced valve
- 4 positions

Flow Rate

■ 5.7 gpm | 21.5 lpm | 60 psi

Cartridge

- CE.1440.PB cartridge
- CE.1702.DR diverter

Available Finishes


- Chrome (CC)
- Brushed Nickel (BN)
- Matte Black (MB)


(Model Pictured: Chrome)


Codes / Standards


- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty











3-WAY PRESSURE BALANCED VALVE

VE.310

Description

- Valve with pressure balanced cartridge and 3-way diverter
- ½" male NPT connections

Flow Rate

■ 5.7 gpm | 21.5 lpm | 60 psi


Cartridge

- CE.1440.PB cartridge
- CE.1702.DR diverter


Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty









16" WALL ARM

WA.41.16

Description

- 16" wall mount shower arm with ½" female NPT connection
- Round pipe with square escutcheon plate

Available Finishes

- Chrome (CC)
- Matte Black (MB)


(Model Pictured: Chrome)


Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

Warranty









8" SQUARE SHOWER HEAD

SH.41.0808

Description

- 8" square shower head
- Anti-limescale technology

Flow Rate

■ 2 gpm | 7.6 lpm | 60 psi

Available Finishes


- Chrome (CC)
- Matte Black (MB)


(Model Pictured: Chrome)


Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

Warranty









KAPFENBERG

SLIDING SHOWER BAR WITH HANDSHOWER

BH.01.01

Description

- **SB.01.31** 31 1/2" sliding shower bar
- **HE.150** 59" hose
- HS.01.01 1-function hand shower

Flow Rate

■ 2 gpm | 7.6 lpm | 60 psi

Available Finishes


- Chrome (CC)
- Matte Black (MB)


(Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty







SQUARE WALL SUPPLY ELBOW

EC.41.01

Description

■ Square elbow connector with ½" female NPT connection

Available Finishes


- Chrome (CC)
- Matte Black (MB)


(Model Pictured: Chrome)


Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1

Warranty









TUB SPOUT WITHOUT DIVERTER

TS.41.06

Description

■ Brass tub spout with ½" slip-on connection

Available Finishes

- Chrome (CC)
- Matte Black (MB)

(Model Pictured: Chrome)

Codes / Standards

- Uniform Plumbing Code (UPC®)
- ASME A112.18.1/CSA B125.1
- ASSE 1016

Warranty



